# MAVERICK

*Plan de gestion de données créé à l'aide de DMP OPIDoR*

**Créateur du PGD :** Olivier Sandre

**Affiliation du créateur principal :** CNRS

**Modèle du PGD :** ANR - DMP template (english)

**Dernière modification du PGD :** 27/12/2020

**Financeur :** Agence nationale de la recherche (ANR)

**Numéro de subvention :** ANR-19-CE09-0024

**Résumé du projet :**

**Magnetic polymersomes** developed around 2005 are a spectacular example of versatile nanovectors capable of releasing active substances at a tumor site under the action of a high frequency (HF) magnetic field that provokes local (i.e. nanoscale) heating of the membrane, enhancing its permeability. In a static magnetic field, these nano-objects undergo substantial elongation. If one fixes that shape by chemical crosslinking under magnetic field, these anisometric entities will give access to new delivery modes, such as the application of a magnetic torque on the cellular membranes (outer plasma membrane and intracellular organelle membranes) by applying a low frequency (LF) magnetic field. The MAVERICK project aims at studying the **ellipsoid-like or more complex deformations** of magnetic polymersomes (WP1), the **biocompatibility and cell internalization** pathways as a function of polymersome morphologies (WP2), and the **magneto-induced toxicity on cells** induced by LF or HF magnetic fields (WP3).

**Chercheur Principal :** Olivier Sandre

**Identifiant ORCID :** 0000-0002-1815-2702

**Contact pour les Données :** Olivier Sandre

**Produits de recherche :**

1. NMR spectra : NMR spectra ( Jeu de données )
2. TEM micrographs : TEM microscopy images ( Image )
3. Cell toxicity assays : Cell toxicity assays ( Jeu de données )
4. Magnetization curves : Magnetization curves (static magnetization curves and dynamic magnetization hysteresis loops) ( Jeu de données )
5. Specific loss powers : Specific loss power (SLP) also called Specific absorption rate (SAR) measurements ( Jeu de données )

Droits d'auteur

Le(s) créateur(s) de ce plan accepte(nt) que tout ou partie de texte de ce plan soit réutilisé et personnalisé si nécessaire pour un autre plan. Vous n'avez pas besoin de citer le(s) créateur(s) en tant que source. L'utilisation de toute partie de texte de ce plan n'implique pas que le(s) créateur(s) soutien(nen)t ou aient une quelconque relation avec votre projet ou votre soumission.

# MAVERICK

## 1. Data description and collection or re-use of existing data

### NMR spectra : NMR spectra

NMR spectra (proton, carbon, phosphate, 2d-NMR, DOSY...) are collected on the Bruker Avance 400MHz spectrometer at the laboratory of partner 1 of the MAVERICK project (LCPO). The objective is to demonstrate the success and assess the yield of all chemical reactions necessary to produce the block copolymers forming polymersomes for the project, and to functionalize them (with fluorescent dyes, with anchoring moieties to embed magnetic iron oxide nanoparticles in their membranes, etc.)

The main software used is Bruker Topspin 4, which license is free for academic use: https://www.bruker.com/service/support-upgrades/software-downloads/nmr/free-topspin-processing/nmr-topspin-license-for-academia.html. Bruker files are propriatory (600 ko/spectrum, 1/day on average), yet this format is used by the community of chemists all over the world.

### TEM micrographs : TEM microscopy images

Transmission electron microscopy (TEM) images and high resolution images (HR-TEM) are produced at the Bordeaux Imaging Center (BIC), partner 3 of the MAVERICK project. The objective is to check the vesicular morphology of samples prepared by a nanoprecipitation route from the copolymers synthesized for the project. Later when the polymersomes will be elongated and chemically crosslinked under a magnetic field, TEM images will be used to asses that their shape does not relax when the field is switched off.

The TEM images are acquired with the Digital Micrograph software (GATAN – AMETEK) with their own format .dm3 or dm4. This proprietary format contains the metadata. This is the specific software of the camera and therefore is exclusive. This software used at the BIC for over 15 years is known and widely used by the community. The users can also open the .dm3 and .dm4 files with the open source software FIJI (i.e. ImageJ with plugins to use various microscopy formats https://imagej.net/Fiji) and convert them in other formats (TIFF, JPEG...). Only the scale can be included (in TIFFs).

The .dm3 images are acquired at high resolution (8 MPixels) with a size of 30Mbytes, which can be reduced to 10Mbytes (TIFF files with LZW compression), while keeping the scale. Approximately 30 images are produced per TEM session (1 every 2 weeks).

### Cell toxicity assays : Cell toxicity assays

Cell toxicity assays (TOX) are performed in the RCTC team of LPCNO (partner 2).

The 1st objective is to assess that the polymersomes alone are not toxic to cells (in absence of applied oscillating or rotating magnetic field) and determine their using conditions (concentrations, incubation times...) to get free of any cell cytotoxicity for further on-demand drug delivery experiments using magnetic field. Different cell lines will be used: fibroblasts, epithelial cells, monocytes, and macrophages (these later ones being the first cells in contact with nanoparticles in *in vivo* experiments). Cytotoxicity will be at first evaluated as a function of dose and time of treatment by MTT assay measuring the cell viability. Preliminary results showed that polymersomes do not present cytotoxicity on HEK293 (human embryonic kidney cell) and Raw 264.7 (murine macrophages) cells up to 50 µg/mL, after 24h incubation.

After the determination of safe conditions, the optimal polymersomes uptake will be evaluated. Then, the aim will be to demonstrate that the application of an alternating or a rotating magnetic field induce the drug release from polymersomes in cells that have internalized anisotropic magnetic polymersomes. Finally, the effects on cell viability, cell mortality and the nature of cell damage, following magnetic field exposure and/or drug release, will be studied.

Cell viability will be expressed as percentage of viability of control cells in absence of polymersomes.

Cell mortality will be expressed as percentage of dead cells compared to negative control, as assessed by different assays: Annexin V and/or propidium iodide labeling.

Statistical analysis will be performed using GraphPad software.

## Magnetization curves : Magnetization curves (static magnetization curves and dynamic magnetization hysteresis loops)

Static magnetization curves of suspensions of magnetic iron oxide nanoparticles in buffers and in cell extracts are acquired at the LPCNO (Partner 2) using a superconducting quantum interference device (SQUID) magnetometer. Dynamic magnetization curves under alternating magnetic fields are gathered both at LPCNO on a lab-made instrument (up to 100 kHz) and up to 350 kHz at LCPO on a commercial setup (Advanced AC Hyster from Nanotech Instruments, Madrid, Spain, https://www.ntsol.es).

Data will consist in magnetic hysteresis loops (i.e. plots of the magnetization as a function of the magnetic field for increasing and decreasing values), which are analyzed for determining the average and standard deviation values of several magnetic parameters (coercive field, remnant magnetization, maximal magnetization, cycle surface area and SAR) from each measurement, including determination of odd harmonics (amplitude and phase) of M(H) which can be correlated with temperature.

## Specific loss powers : Specific loss power (SLP) also called Specific absorption rate (SAR) measurements

The heating efficiencies of magnetic NPs suspended in buffers or in cell extracts (SAR or SLP) under applied alternating magnetic fields are acquired up to 755 kHz at LCPO (Partner 1) and 350 kHz at LPCNO (Partner 2) by calorimetric measurements following recommendations of the "white paper" on SAR determinations entitled "Challenges and Recommendations for Magnetic Hyperthermia Characterization Measurements" to appear in International Journal of Hyperthermia (2021) written by a large consortium of COST TD1402 action RadioMag members http://www.cost-radiomag.eu).

Raw data will be supplied as numerical tables (i.e. profiles of temperature vs time for calorimetric measurements or magnetization vs applied magnetic field for AC magnetometry). Examples of temperature profiles are given on: https://doi.org/10.5281/zenodo.4281153.

# 2. Documentation and data quality

The data will be accompanied by a "Readme.txt" file with the information on samples and experimental methodology. We have been using specification datasheets of synthesized samples for 10 years, since our participation in FP7 European project NanoTher (www.nanother.eu). We will adapt them according to templates like those developed by the NIH institute on cancer for nanomaterials: https://wiki.nci.nih.gov/display/ICR/ISA-TAB-Nano#ISA-TAB-Nano-title

The experimental data are discussed between the PhD student and her advisors, and confronted to those obtained by the partners. Any source of data inconstancy or experiment error will be analyzed with the engineers in charge of the experimental setups (NMR, TEM, TOX, MAG, SAR) and double-checked by comparison with precision and reproducibility of analogous data reported in literature.

# 3. Storage and backup during the research process

## NMR spectra : NMR spectra

The NMR spectra are saved on an internal server at LCPO. Backups are made on a daily basis. The data are also shared with users using the institutional cloud service: https://mycore.core-cloud.net

The institutional cloud https://mycore.core-cloud.net meets requirements of data protection and safety defined by the organism (CNRS).

## TEM micrographs : TEM microscopy images

The TEM images are saved on an internal server at BIC during session. After the session, the image are saved and transferred to the users by https://filesender.renater.fr/ so they can copy them on their hard disks and on institutional cloud service https://mycore.core-cloud.net (after compression into LZF TIFF files to minimized disk space).

The institutional cloud https://mycore.core-cloud.net meets requirements of data protection and safety defined by the organism (CNRS).

## Cell toxicity assays : Cell toxicity assays

The institutional intranet server "i2mc-share.inserm.lan" of the RCTC team (Partner 2) meets requirements of data protection and safety defined by the organism (CNRS).

Data security is handled by the institutions of the partner laboratories (Bordeaux INP, CNRS, University of Bordeaux, University of Toulouse Paul Sabatier, INSA Toulouse, and INSERM).

## Magnetization curves : Magnetization curves (static magnetization curves and dynamic magnetization hysteresis loops)

The MAG curves are saved on an internal server at LCPO and LPCNO. Backups are made on a daily basis. The data are also shared with users using the institutional cloud service: https://mycore.core-cloud.net

Data security is handled by the institutions of the partner laboratories (Bordeaux INP, CNRS, University of Bordeaux, University of Toulouse Paul Sabatier, INSA Toulouse, and INSERM).

## Specific loss powers : Specific loss power (SLP) also called Specific absorption rate (SAR) measurements

The SAR curves are saved on an internal server at LCPO and LPCNO. Backups are made on a daily basis. The data are also shared with users using the institutional cloud service: https://mycore.core-cloud.net

Data security is handled by the institutions of the partner laboratories (Bordeaux INP, CNRS, University of Bordeaux, University of Toulouse Paul Sabatier, INSA Toulouse, and INSERM).

# 4. Legal and ethical requirements, code of conduct

No personal data processed.

The data belong to the three partners of the projects: LCPO, LPCNO and BIC. They are all research units associated to the same institution (CNRS), which defines its IP politics in agreement with the other institutional partners (University of Bordeaux, Bordeaux INP, INSERM, University of Toulouse Paul Sabatier, INSA Toulouse).

Whenever possible and meaningful, results will be submitted to institutional IP offices (SATT Aquitaine Science Transfert and Toulouse Tech Transfert) for possible patent filing. Otherwise, data will be shared under Creative Commons Attribution Non-Commercial Share Alike license (CC-BY-NC-SA).

The project is conducted in accordance with the charter of scientific integrity and research ethics established in partnership between universities, CNRS, INSERM and INRAE: https://college-doctoral.u-bordeaux.fr/en/News/Scientific-integrity-and-research-ethics

# 5. Data sharing and long-term preservation

All the routine data are not useful to be shared. However, the characterization data of samples selected for scientific publications will be made available on the long-term thanks to a trustworthy repository.

The data supporting the results of all published articles will be made available through the journal publisher websites and on a long-term repository such as 4TU.ResearchData https://researchdata.4tu.nl/en/ (using their free 10 Gigabyte space, as no funding was initially planned in the ANR MAVERICK budget).

NMR spectra can be read by Bruker Topspin software, which can be freely used by academic researchers https://www.bruker.com/service/support-upgrades/software-downloads/nmr/free-topspin-processing/nmr-topspin-license-for-academia.html

The data points of all graphics (curated data and fitting curves) will be made available as text files (.CSV) for instance using FigShare.com repository.

TEM Images can be read by FIJI and, after conversion into TIFF or JPG format, by most standard imaging softwares (ImageJ, IrfanView, ACDSee...).

GraphPad, is used for statistical analysis of TOX data. KaleidaGraph or Origin plotting software will be used to analyze magnetic properties of polymersomes (Ms values, SAR...) and data fitting with theoretical models.

Each data set will be provided a DOI thanks to their proper publication (under FAIR principles of Open Science) using Zenodo.org, FigShare.com and data.4tu.nl/info/en/ or other public repositories.

The list of all available data sets will be provided on the MAVERICK project web page: https://www.lcpo.fr/anr-maverick

# 6. Data management responsibilities and resources

## NMR spectra : NMR spectra

Partner 1 (LCPO) is responsible for the data on chemical structures and physicochemical characterizations.

The partners will devote a part of their time on curating the data and publishing them on public repositories, concomitantly with the writing of the publications.

## TEM micrographs : TEM microscopy images

Partner 1 (LCPO) and Partner 3 (BIC) share the responsibility for the curation and sharing of electron microscopy images. The BIC uses specific internal resources dedicated to the implementation, monitoring and security of the TEM images server.

The partners will devote a part of their time on curating the data and publishing them on public repositories, concomitantly with the writing of the publications.
The BIC regularly invests in the development of IT resources in terms of storage and backup.

## Cell toxicity assays : Cell toxicity assays

The RCTC team of Partner 2 is responsible for the cell toxicity data.

The partners will devote a part of their time on curating the data and publishing them on public repositories, concomitantly with the writing of the publications.

## Magnetization curves : Magnetization curves (static magnetization curves and dynamic magnetization hysteresis loops)

Partner 1 (LCPO) and Partner 2 (LPCNO) share the responsibility for the curation and sharing of electron microscopy images.

The partners will devote a part of their time on curating the data and publishing them on public repositories, concomitantly with the writing of the publications.

## Specific loss powers : Specific loss power (SLP) also called Specific absorption rate (SAR) measurements

Partner 1 (LCPO) and Partner 2 (LPCNO) share the responsibility for the curation and sharing of SAR measurements.

The partners will devote a part of their time on curating the data and publishing them on public repositories, concomitantly with the writing of the publications.